




Ge Tooling
WWW.GETOOLING.IT

PROMO NET PRICES 2024

RISERVATI AI RIVENDITORI _ FÜR HÄNDLER RESERVIERT _ RESERVED FOR DEALERS



VALIDITÀ _ GÜLTIGKEIT _ VALIDITY
01.04.2024 / 31.12.2024

[Fino ad esaurimento scorte _ Solange vorrat reicht _ While supplies last]




BOX TCMX SET W



STOCK

Art. SET 311W W

- n° 1 311.020WW
- n° 4 TCMX 16T3ZR TIN



CATALOGUE RANGE	Ø dh6	L	L1	Y°	Z	D min	D max	
311.020 WW	20	115	40	45°	1	0,4	20	
311.020 WWL	20	150	60	45°	1	0,4	20	
311.020 WWXL	20	200	80	45°	1	0,4	20	




BOX SEEX SET W




STOCK

Art. SET 160 W 45°

- n° 1 160.45 W
- n° 5 SEEX 12T408 TIN



CATALOGUE RANGE	Ø dh6	DS	L	L1	Y°	Z	D min	D max	
160.45 W	16	0,8	120	40	45°	1	0,8	17	--
160.30 W	16	0,8	120	40	30°	1	0,8	21	--




BOX TCMT SET W



STOCK


Art. SET 300W W - 45°

- n° 1 300.016 WW
- n° 1 300.021 WW



CATALOGUE RANGE	Ø dh6	L	H	Y°	Z	D1	D2	
300.016 WW	12	70	20	45°	1	1,2	16	
300.021 WW	20	90	35	45°	2	6,2	21	
300.032 WW	25	100	42	45°	2	10,4	32,5	

NEW





**BOX
TCEX SET C**

STOCK

Art. SET 7545-0422	n° 1	7545VT13-C12-0422	-	●
	n° 4	TCEX 13T302 K400		

CATALOGUE RANGE	Ø dh6	L	Y°	Z	D	D1	
7545VT13-C12-0422	12	85	45°	1	22	4	--





**BOX
TCGX SET C**

STOCK

Art. SET 7745-0525	n° 1	7745VT16-C12-0525	-	●
	n° 4	TCGX 163504 K400		
Art. SET 7745-2545	n° 1	7745VT16-C12-2545	-	●
	n° 4	TCGX 163504 K400		

CATALOGUE RANGE	Ø dh6	L	Y°	Z	D	D1	
7745VT16-C12-0525	12	78	45°	1	25	5	--
7745VT16-C12-2545	12	78	45°	1	45	25	--





740W ECO


	D	d	L (mm)		p	β	Z				KG		STOCK
740W D16/2 ECO	16	16	85	37	10	--	2	APHT APHX APKT 1003 ...	VT25	BT08	0,130	--	●
740W D20/3 ECO	20	20	90	40	10	--	3				0,200	--	●
740W D25/4 ECO	25	25	105	49	10	--	4				0,340	--	●



740M ECO





730M ECO



740M ECO 730M ECO

	D	d	H	p	β	Z				KG		STOCK
740M D40/6 ECO	40	16	40	10	--	6	APHT APHX APKT 1003...	VT25	BT08	0,270	--	●
740M D50/7 ECO	50	22	40	10	--	7				0,430	--	●
730M D40/4 ECO	40	16	40	17	--	4	APHT APHX APKT 1604 ...	VT40	BT15	0,210	--	●
730M D50/5 ECO	50	22	40	17	--	5				0,290	--	●
730M D63/6 ECO	63	22	40	17	--	6				0,530	--	●



600M ECO

	D	De	L (mm)		p	β	Z				KG		STOCK
600M D50-12/4 ECO	50	63	22	48	6	--	4	SEHT SEHX SEKT 1204...	VT50	BT20	0,480	--	●
600M D63-12/5 ECO	63	76	22	48	6	--	5				0,760	--	●
600M D80-12/6 ECO	80	93	27	50	6	--	6				1,270	--	●
600M D100-12/6 ECO	100	113	32	50	6	--	6				1,790	--	●



PROFI-BOX APKT 1003 SET W



Art. SET 740W D16 ECO	n° 1	740W D16/2 ECO	--	●
	n° 20	APKT 1003 PDR-M K400	--	●
Art. SET 740W D20 ECO	n° 1	740W D20/3 ECO	--	●
	n° 20	APKT 1003 PDR-M K400	--	●
Art. SET 740W D25 ECO	n° 1	740W D25/4 ECO	--	●
	n° 20	APKT 1003 PDR-M K400	--	●



PROFI-BOX APKT 1003 SET M



Art. SET 740M D40 ECO	n° 1	740M D40/6 ECO	--	●
	n° 20	APKT 1003 PDR-M K400	--	●
Art. SET 740M D50 ECO	n° 1	740M D50/7 ECO	--	●
	n° 20	APKT 1003 PDR-M K400	--	●



PROFI-BOX APKT 1604 SET M



Art. SET 730M D40 ECO	n° 1	730M D40/4 ECO	--	●
	n° 20	APKT 1604 PDR-M K400	--	●
Art. SET 730M D50 ECO	n° 1	730M D50/5 ECO	--	●
	n° 20	APKT 1604 PDR-M K400	--	●
Art. SET 730M D63 ECO	n° 1	730M D63/6 ECO	--	●
	n° 20	APKT 1604 PDR-M K400	--	●




PROFI-BOX SEKT 1204 SET M



Art. SET 600M D50 ECO	n° 1	600M D50-12/4 ECO	--	●
	n° 20	SEKT 1204 AFTN K400	--	●
Art. SET 600M D63 ECO	n° 1	600M D63-12/5 ECO	--	●
	n° 20	SEKT 1204 AFTN K400	--	●
Art. SET 600M D80 ECO	n° 1	600M D80-12/6 ECO	--	●
	n° 20	SEKT 1204 AFTN K400	--	●

SULLA STESSA SEDE INSERTO POSSONO ESSERE MONTATE 2 TIPOLOGIE DI INSERTO.
 AUF SELBEM PLATTENSITZ, KÖNNEN SIE 2 WENDEPLATTEN TYPLOGIE MONTIEREN.
 ON THE SAME INSERT SEAT, IT COULD BE USED 2 INSERT TYPE.





PROFI-BOX WNEU 0806 SET M

Art. SET	n°	Icon	Model	STOCK
Art. SET 845M W D40	n° 1		845M W D40/4	●
	n° 20		WNEU 080608-MB K400	●
Art. SET 845M W D50	n° 1		845M W D50/5	●
	n° 20		WNEU 080608-MB K400	●
Art. SET 845M W D63	n° 1		845M W D63/6	●
	n° 20		WNEU 080608-MB K400	●
Art. SET 845M W D80	n° 1		845M W D80/7	●
	n° 20		WNEU 080608-MB K400	●

CATALOGUE RANGE	D	d	H	p	z	STOCK
845M W D40/4	40	16	40	7	4	●
845M W D50/5	50	22	40	7	5	●
845M W D63/6	63	22	40	7	6	●
845M W D80/7	80	27	50	7	7	●
845M W D100/8	100	32	50	7	8	●

SULLA STESSA SEDE INSERTO POSSONO ESSERE MONTATE 2 TIPOLOGIE DI INSERTO: 8 TAGLIANTI E 16 TAGLIANTI.
 AUF SELBEM PLATTENSITZ, KÖNNEN SIE 2 WENDEPLATTEN TYPLOGIE MONTIEREN: 8 SCHNEIDEN UND 16 SCHNEIDEN
 ON THE SAME INSERT SEAT, IT COULD BE USED 2 INSERT TYPE: 8 CUTTING EDGE AND 16 CUTTING EDGE.



PROFI-BOX SNMU SNMX SET M

Art. SET	n°	Icon	Model	STOCK
Art. SET 810M W D50 SN	n° 1		810M W D50/4	●
	n° 10		SNMU 1206 ANER P300	●
	n° 10		SNMX 1206 ANN-MB1 P300	●
Art. SET 810M W D63 SN	n° 1		810M W D63/6	●
	n° 10		SNMU 1206 ANER P300	●
	n° 10		SNMX 1206 ANN-MB1 P300	●
Art. SET 810M W D80 SN	n° 1		810M W D80/7	●
	n° 10		SNMU 1206 ANER P300	●
	n° 10		SNMX 1206 ANN-MB1 P300	●

CATALOGUE RANGE	D	De	d	H	p	z	STOCK
810M W D50/4	50	63	22	40	6	4	●
810M W D63/6	63	76	22	40	6	6	●
810M W D80/7	80	93	27	50	6	7	●
810M W D100/8	100	113	32	50	6	8	●
810M W D125/10	125	138	40	63	6	10	●
810M W D160/12	160	173	40	63	6	12	●
810M W D200/14	200	213	60	63	6	14	●
810M W D250/16	250	263	60	63	6	16	●



PROFI-BOX SET PE TISIN

Art. SET PE 3T
TISIN 45°

n° 1	PE0603 TiSiN
n° 1	PE0803 TiSiN
n° 1	PE1003 TiSiN
n° 1	PE1203 TiSiN

Art. SET PE 4T
TISIN 45°

n° 1	PE0604 TiSiN
n° 1	PE0804 TiSiN
n° 1	PE1004 TiSiN
n° 1	PE1204 TiSiN

d l L D z

STOCK

n° 1 SET

n° 10 SETS

Buy
10 SETS
get better
PRICE



PROFI-BOX SET MPE TISIN

Art. SET MPE 3T
TISIN 45°

n° 10	MPE0103 TiSiN
n° 10	MPE0153 TiSiN
n° 10	MPE0203 TiSiN
n° 10	MPE0303 TiSiN
n° 10	MPE0403 TiSiN

d l L D z

STOCK

n° 1 SET

n° 10 SETS

Buy
10 SETS
get better
PRICE



PROFI-BOX SET MSB TISIN

Art. SET MSB 2T/50
TISIN 35°

n° 10	MSB0102 TiSiN
n° 10	MSB0152 TiSiN
n° 10	MSB0202 TiSiN
n° 10	MSB0302 TiSiN
n° 10	MSB0402 TiSiN

d R l L D z

STOCK

n° 1 SET





Specialmente con diametri di lavorazione di piccole dimensioni, i bareni N-PREMIUM impediscono l'accumulo di trucioli nel pezzo.

Speziell bei kleinen Bearbeitungsdurchmessern, verhindern N-PREMIUM Bohrstangen einen Späneastau im Werkstück.

Especially with small machining diameters, N-PREMIUM boring bars prevent chips jamming in the workpiece.




STANDARD





N-PREMIUM

Asportazione sicura dei trucioli mediante scanalature a spirale.
Gesicherte Spanabfuhr durch spiralisierten Spanraum.
Reliable chip evacuation due to spiral flutes.





Ottimizzato per il minimo diametro del preforo.
Optimiert für kleinste Mindestvorbohrdurchmesser.
Optimised for the smallest minimum pre-drill diameter.



Stelo in acciaio _ Stahlschaft _ Steelshank

N-PREMIUM A-SCLCR/L



	d	l (mm)			D _{min}						KG		STOCK
		l ₁	l ₂	f									
A08H SCLCR/L 06 N-PREMIUM	8	100	20	5	10						0,040	●	●
A10K SCLCR/L 06 N-PREMIUM	10	125	20	6	12	CCMT CCGT 0602...	--	--	VT25B	BT08	0,080	●	●
A12L SCLCR/L 06 N-PREMIUM	12	140	24,2	7	14						0,140	●	●
A16Q SCLCR/L 09 N-PREMIUM	16	180	31	9	18						0,250	●	●
A20R SCLCR/L 09 N-PREMIUM	20	200	36	11	22	CCMT CCGT 09T3...	--	--	VT40B	BT15	0,500	●	●
A25R SCLCR/L 09 N-PREMIUM	25	200	43	13,5	27						0,700	●	●
A25R SCLCR/L 12 N-PREMIUM	25	200	43	13,5	27	CCMT CCGT 1204...	--	--	VT50	BT20	0,700	●	●



Stelo in acciaio _ Stahlschaft _ Steelshank

N-PREMIUM A-SDUCR/L


	d	l (mm)			D _{min}						KG		STOCK
		l ₁	l ₂	f									
A10K SDUCR/L 07 N-PREMIUM	10	125	20	7	13						0,080	●	●
A12L SDUCR/L 07 N-PREMIUM	12	140	25	8	15	DCMT DCGT 0702...	--	--	VT25B	BT08	0,120	●	●
A16Q SDUCR/L 07 N-PREMIUM	16	180	28	10	19						0,250	●	●
A16Q SDUCR/L 11 N-PREMIUM	16	180	28	14	23						0,250	●	●
A20R SDUCR/L 11 N-PREMIUM	20	200	36	13	25	DCMT DCGT 11T3...	--	--	VT40B	BT15	0,500	●	●
A25R SDUCR/L 11 N-PREMIUM	25	200	40	16	31						0,700	●	●



Stelo in acciaio _ Stahlschaft _ Steelshank

**N-PREMIUM
A-SDQCR/L**



	d	l (mm)			D _{min}						KG		STOCK
		l1	l2	f									
A10K SDQCR/L 07 N-PREMIUM	10	125	20	7	13	DCMT DCGT 0702...	--	--	VT25B	BT08	0,080		
A12L SDQCR/L 07 N-PREMIUM	12	140	25	8	15						0,120		
A16Q SDQCR/L 07 N-PREMIUM	16	180	28	10	19						0,250		
A16Q SDQCR/L 11 N-PREMIUM	16	180	28	14	23	DCMT DCGT 11T3...	--	--	VT40B	BT15	0,250		
A20R SDQCR/L 11 N-PREMIUM	20	200	36	13	25						0,500		
A25R SDQCR/L 11 N-PREMIUM	25	200	40	16	31						0,700		



Stelo in acciaio _ Stahlschaft _ Steelshank

**N-PREMIUM
A-STFCR/L**

	d	l (mm)			D _{min}						KG		STOCK
		l1	l2	f									
A10K STFCR/L 11 N-PREMIUM	10	125	22	6	12	TCMT TCGT 1102...	--	--	VT25B	BT08	0,080		
A12L STFCR/L 11 N-PREMIUM	12	140	24,3	7	14						0,120		
A16Q STFCR/L 11 N-PREMIUM	16	180	31	9	18						0,250		
A20R STFCR/L 11 N-PREMIUM	20	200	36	11	22						0,500		





Stelo in acciaio _ Stahlschaft _ Steelshank

**N-PREMIUM
A-SVUBR/L**

	d	l (mm)			D _{min}						KG		STOCK
		l1	l2	f									
A16Q SVUBR/L 11 N-PREMIUM	16	180	31	11	20	VBMT VBGT 1103...	--	--	VT25B	BT08	0,250		
A20R SVUBR/L 11 N-PREMIUM	20	200	36	13	24						0,500		
A25R SVUBR/L 16 N-PREMIUM	25	200	40	17	31						0,700		

**N-PREMIUM
A-SVUCR/L**




	d	l (mm)			D _{min}						KG		STOCK
		l1	l2	f									
A16Q SVUCR/L 11 N-PREMIUM	16	180	31	11	20	VCMT VCGT 1103...	--	--	VT25B	BT08	0,250		
A20R SVUCR/L 11 N-PREMIUM	20	200	36	13	24						0,500		
A25R SVUCR/L 16 N-PREMIUM	25	200	40	17	31						0,700		



Stelo in acciaio _ Stahlschaft _ Steelshank

SCLCR/L




	h1	h2	b	l1	l2	f								STOCK
	: (mm)													
SCLCR/L 2020 K09 - IK ECO	20	20	20	125	17	25	CCMT CCGT 09T3...	US1111	GBS1111	SS1111	BT15	0,420		
SCLCR/L 2525 M12 - IK ECO	25	25	25	150	20	32	CCMT CCGT 1204...	US1221	GBS1221	SS1221	BT15	0,770		



Stelo in acciaio _ Stahlschaft _ Steelshank

SDJCR/L



	h1	h2	b	l1	l2	f								STOCK
	: (mm)													
SDJCR/L 2020 K11 - IK ECO	20	20	20	125	24	25	DCMT DCGT 11T3...	US2311	GBS1111	SS1111	BT15	0,408		
SDJCR/L 2525 M11 - IK ECO	25	25	25	150	27	32						0,735		



Stelo in acciaio _ Stahlschaft _ Steelshank

SVJCR/L


	h1	h2	b	l1	l2	f								STOCK
	: (mm)													
SVJCR/L 2020 K11 - IK ECO	20	20	20	125	23	25	VCMT VCGT 1103...	--	--	SS1751	BT08	0,373		
SVJCR/L 2020 K16 - IK ECO	20	20	20	125	29,5	25	VCMT VCGT 1604...	US6522	GBS1111	SS1111	BT15	0,380		
SVJCR/L 2525 M16 - IK ECO	25	25	25	150	32,5	32						0,677		



Stelo in acciaio _ Stahlschaft _ Steelshank

PCLNR/L

h1 h2 b l1 l2 f (mm)





PCLNR/L 2020 K12 - IK ECO 20 20 20 125 27,4 25

0,428 ● ●

CNMG 1204... UP1111E HP1111E SP1111E RP1111E MP1111

PCLNR/L 2525 M12 - IK ECO 25 25 25 150 28 32


0,751 ● ●



Stelo in acciaio _ Stahlschaft _ Steelshank

PWNLR/L

h1 h2 b l1 l2 f (mm)






PWNLR/L 2020 K08 - IK ECO 20 20 20 125 25 25

0,420 ● ●

WNMG 0804... UP71011E HP1111E SP1111E RP1111E MP1111

PWNLR/L 2525 M08 - IK ECO 25 25 25 150 25 32

0,767 ● ●



Stelo in acciaio _ Stahlschaft _ Steelshank

PDJNR/L

h1 h2 b l1 l2 f (mm)



PDJNR/L 2020 K15 - IK ECO 20 20 20 125 25 25

0,411 ● ●

DNMG 1506... UP2421E HP2421E SP1111E RP1111E MP1111

PDJNR/L 2525 M15 - IK ECO 25 25 25 150 25 32

0,737 ● ●



PROFI-BOX HSS CC..0602 SET



STOCK

Art. SET AH SCLCR 06
Art. SET AH SCLCL 06

n° 1		AH 0608H	SCLCR/L 06		
n° 1		AH 0810J	SCLCR/L 06		●
n° 1		AH 1012K	SCLCR/L 06		
n° 1		AH 1216M	SCLCR/L 06		

CATALOGUE RANGE	d	L1	L2	f	D min
AH 08H... 06	8	100	25	4	8,5
AH 10H... 06	10	110	32	6	12
AH 12H... 06	12	125	38	7	14
AH 16H... 06	16	150	50	9	18



BOX STEEL CC..0602 SET



STOCK


Art. SET A SCLCR 06
Art. SET A SCLCL 06

n° 1		A0608H	SCLCR/L 06		
n° 1		A0810J	SCLCR/L 06		●
n° 1		A1012K	SCLCR/L 06		
n° 1		A1216M	SCLCR/L 06		

Art. SET S SCLCR 06

n° 1		S0608H	SCLCR 06		
n° 1		S0810J	SCLCR 06		●
n° 1		S1012K	SCLCR 06		
n° 1		S1216M	SCLCR 06		

SPECIAL OFFER



CATALOGUE RANGE	d	d1	L1	L2	f	D min
S/A 0608H...06	8	6	100	21,5	4,2	8
S/A 0810J...06	10	8	110	27	6	11
S/A 1012K...06	12	10	125	32,5	7	13
S/A 1216M...06	16	12	150	42	9	16



PROFI-BOX HSS DC..0702 SET



STOCK

Art. SET AH SDUCR 07
Art. SET AH SDUCL 07

n° 1		AH 0810H	SDUCR/L 07		
n° 1		AH 1012K	SDUCR/L 07		●
n° 1		AH 1216M	SDUCR/L 07		

CATALOGUE RANGE	d	L1	L2	f	f1	D min
AH 08H... 07	10	100	22	7	5	12,5
AH 10H... 07	12	125	28	9	5	15,5
AH 12H... 07	16	150	36	11	5	19,5



BOX STEEL DC..0602 SET



STOCK


Art. SET A SDUCR 07
Art. SET A SDUCL 07

n° 1		A0810H	SDUCR/L 07		
n° 1		A1012K	SDUCR/L 07		●
n° 1		A1216M	SDUCR/L 07		

Art. SET S SDUCR 07

n° 1		S0810H	SDUCR 07		
n° 1		S1012K	SDUCR 07		●
n° 1		S1216M	SDUCR 07		

SPECIAL OFFER



CATALOGUE RANGE	d	l1	l2	f	f1	Dmin
S/A 0810H...07	10	100	22,5	6,5	4,4	12,5
S/A 1012K...07	12	125	27,5	9	5,9	15,5
S/A 1216M...07	16	150	40,5	11	4,9	18



PROFI-BOX CARBIDE CC..0602 SET

Art. SET E SCLCR 06
Art. SET E SCLCL 06

n° 1		E08K	SCLCR/L 06		
n° 1		E10K	SCLCR/L 06		
n° 1		E12M	SCLCR/L 06		


STOCK

n° 1 SET

n° 5 SETS

Buy 5 SETS
get better
PRICE

CATALOGUE RANGE	d	L1	L2	f	D min
E 08K ... 06	8	125	10	5	10
E 10K ... 06	10	125	10	6	12
E 12M ... 06	12	150	10	8	14



PROFI-BOX CARBIDE DC..0702 SET

Art. SET E SDUCR 07
Art. SET E SDUCL 07

n° 1		E10K	SDUCR/L 07		
n° 1		E12M	SDUCR/L 07		


STOCK

n° 1 SET

n° 5 SETS

Buy 5 SETS
get better
PRICE

CATALOGUE RANGE	d	L1	L2	f	f1	D min
E 10K ... 06	10	125	10	7	--	12,5
E 12M ... 06	12	150	12,5	9	--	15



NEW



CARBIDE CC..0602 SET


Art. SET C SCLCR 06
























n° 1		C08K	SCLCR 06		
n° 1		C10K	SCLCR 06	--	
n° 1		C12M	SCLCR 06		


















STOCK

SPECIAL
OFFER

CATALOGUE RANGE	d	L1	L2	f	D min
C 08K ... 06	8	125	10	5	10
C 10K ... 06	10	125	10	6	12
C 12M ... 06	12	150	10	8	14



 CODICE ORDINE Bestell-Nr. Order No.	 FIGURA Form Figure	 (mm)					 DENOMINAZIONE Bezeichnung Designation	STOCK	MIN. n° 100 pz/St/pcs	MIN. n° 300 pz/St/pcs
		l	d	s	d1	r				
 WNEU...		7,5	12,5	6,56	4,6	0,8	WNEU 080608-MB P200 / P300 / K300	●		
  WNEU...		7,5	12,5	6,56	4,6	0,8	WNEU 080608-MB K400	●		
  WNMU...		7,5	12,5	6,56	4,6	0,8	WNMU 080608-MB K400	●		
 WNEX		7,5	12,5	6,56	4,5	0,8	WNEX 080608-ALU K15	●		
 XNEX...		7,5	12,5	6,56	4,6	1,0	XNEX 080610-HF K400	●		
  TCEX		13,4	7,94	3,97	3,9	0,2	TCEX 13T302 K400	●		
 TCGX		16,5	9,52	3,97	4,4	0,4	TCGX 163504 K400	●		
 TCMX		16,5	9,52	3,97	4,4	0,4	TCMX 16T3 ZR TIN	●		

CODICE ORDINE Bestell-Nr. Order No.	FIGURA Form Figure	 (mm)					DENOMINAZIONE Bezeichnung Designation	STOCK	MIN. n° 100 pz/St/pcs	MIN. n° 300 pz/St/pcs
		l	d	s	d1	r				
SPECIAL OFFER  APKT... PDR-M		10	6,7	3,50	3,2	0,5	APKT 1003 PDR-M K400	●		
		16,3	9,5	5,26	4,4	0,9	APKT 1604 PDR-M K400	●		
SPECIAL OFFER  APKT... PDER-S		10,5	6,7	3,50	2,8	0,4	APKT 1003 PDER-S P200 / P300 / K300	●		
		17	9,5	5,30	4,5	0,8	APKT 1604 PDER-S P200 / P300 / K300	●		
 SNKX 1206		12,7	2,5	6,4	5,2	2,36	SNKX 1206 ANN-MM1 K400	●		
 SNMU...		12,7	2,5	6,90	5,4	0,8	SNMU 1206 ANER P200 / P300 / K300	●		
 SNMX...		12,7	2,5	6,40	5,2	2,36	SNMX 1206 ANN-MB1 P200 / P300 / K300	●		
 SNEX 1206 ALU		12,7	2,5	6,4	5,2	2,36	SNEX 1206 ANN-MA ALU K15	●		
SPECIAL OFFER  SEKT...		12,7	12,7	4,76	5,5	-	SEKT 1204 AFTN K400	●		
 SEEX		12,25	12,25	5,25	4,8	0,8	SEEX 12T408 TIN	●		

SET CACCIAVITE DINAMOMETRICO DREHMOMENT SCHRAUBENZIEHER SET_TORQUE SCREWDRIVER SET



Fig. 2

Fig. 1

Buy more
get better
PRICE

TORX - 25 mm



TORX PLUS - 50 mm



**PROFI-BOX
TPK02-TGGE-12K**

Art. TPK02-TGGE-12K

n° 6		Punta torx 25 mm_Bit Torx 25 mm_Bit Torx 25 mm		
n° 6		Punta torx plus 50 mm_Bit Torx plus 50 mm Bit Torx plus 50 mm		
n° 6		Adattatore_Adapter_Adapter	●	
n° 2		Manico_Schraubenzieher Griff_Handle		

STOCK	n° 1 SET	n° 10 SETS	n° 20 SETS

PARTI DI RICAMBIO _ ERSATZTEILE _ SPARE PARTS

n° 3		TPK-A06-0,6	n° 3		TPK-A09-1,4
n° 3		TPK-A07-0,9	n° 3		TPK-A10-2,0
n° 3		TPK-A08-1,2	n° 3		TPK-A15-3,0
n° 6		TPK-B01-TX06-25	n° 6		TPK-B02-6IP-50
n° 6		TPK-B01-TX07-25	n° 6		TPK-B02-7IP-50
n° 6		TPK-B01-TX08-25	n° 6		TPK-B02-8IP-50
n° 6		TPK-B01-TX09-25	n° 6		TPK-B02-9IP-50
n° 6		TPK-B01-TX10-25	n° 6		TPK-B02-10IP-50
n° 6		TPK-B01-TX15-25	n° 6		TPK-B02-15IP-50
n° 1		TPK-H01-B (Fig.1)	n° 1		TPK-H02-B (Fig.2)