



MOULDMILL






PARAMETRI INSERTI
RICAMBI
SPEED TIGER
INSERTS
SLIM CHUCK
YES DRILLS
NICECUT
GE DRILLS
GROOVING
MINITOOOLS
MICROTOOLS AMS
MOULDMILL
MINIMILL
MILLING




FRESE MODULARI PER SPALLAMENTO EINSCHRAUBKUGELGESENKFRÄSER _ THREADED TYPE MILLING CUTTERS



741MO.N	↔ (mm)											kg		STOCK	€
	D	D1	L	L1	M	p	Z								
741MO D10/2 N	10	6,5	16	14,5	M6	5,2	2	APKT APMX 0602...	VT18	BT06	0,010	●	177,00		
741MO D12/3 N	12	6,5	16	14,5	M6	5,2	3				0,010	●	218,50		
741MO D16/4 N	16	8,5	21	17,5	M8	5,2	4				0,020	●	259,00		
741MO D20/5 N	20	10,5	26	20	M10	5,2	5				0,050	●	281,00		
741MO D25/7 N	25	12,5	30	22	M12	5,2	7				0,100	●	302,00		
741MO D32/8 N	32	17	43	23	M16	5,2	8				0,240	●	322,50		



740MO	↔ (mm)												kg		STOCK	€
	D	D1	L	L1	M	p	β	Z								
740MO D10/1	10	6,5	20	14,5	M6	10	11,0°	1	APHT APHX APKT 1003...	VT25	BT08	0,010	●	146,50		
740MO D12/1	12	6,5	20	14,5	M6	10	9,0°	1				0,010	●	146,50		
740MO D16/2	16	8,5	25	17,5	M8	10	3,5°	2				0,020	●	177,00		
740MO D20/3	20	10,5	30	20	M10	10	1,5°	3				0,050	●	222,50		
740MO D25/3	25	12,5	35	22	M12	10	0,9°	3				0,100	●	222,50		
740MO D25/4	25	12,5	35	22	M12	10	0,9°	4				0,900	●	264,00		
740MO D28/4	28	12,5	35	22	M12	10	0,9°	4				0,120	●	293,50		
740MO D30/4	30	17	43	24	M16	10	0,6°	4				0,210	●	293,50		
740MO D32/5	32	17	43	24	M16	10	0,6°	5	0,220	●	291,00					



730MO	↔ (mm)												kg		STOCK	€
	D	D1	L	L1	M	p	β	Z								
NEW 730MO D25/2	25	12,5	40	22	M12	17	3,5°	2	APHT APHX APKT 1604...	VT40	BT15	0,110	●	193,00		
730MO D32/3	32	17	46	24	M16	17	2,0°	3				0,220	●	204,50		
730MO D40/4	40	17	46	24	M16	17	1,5°	4				0,330	●	258,00		

● Disponibile - Lieferbar - On stock

○ A richiesta - Auf Anfrage - On request



2025

Ge Tooling


39

MILLING
MINIMILL
MOULDMILL
MICROTOOLS AMS
MINITOOLS
GROOVING
GE DRILLS
NICECUT
YES DRILLS
SLIM CHUCK
INSERTS
SPEED TIGER
RICAMBI
PARAMETRI INSERTI


FRESE MODULARI PER SPALLAMENTO EINSCHRAUBKUGELGESENKFRÄSER _ THREADED TYPE MILLING CUTTERS



745MO	↔ (mm)								✱	🌀	🔧	📊	🏠	STOCK	€
	D	D1	L	L1	M	p	β	z							
745MO D20/3	20	10,5	30	20	M10	10	4,0°	3	LNEX LNKX LNMX 10...	VT 30 745	BT09	0,050	●	201,50	
745MO D25/3	25	12,5	35	22	M12	10	3,5°	3				0,100	●	246,00	
745MO D32/4	32	17	43	24	M16	10	3,0°	4				0,230	●	283,00	




FRESE MODULARI PER SMUSSO EINSCHRAUBFASENFRÄSER _ THREADED TYPE MILLING CUTTERS




321 MO	↔ (mm)							✱	🌀	🔧	📊	🏠	STOCK	€
	D	D1	D2	L	L1	M	z							
321MO D12/1	23,7	8,5	12	30	17,5	8	1	SPGT SPMT 09T3...	VT35S	BT15	0,190	●	135,00	
321MO D16/2	28,8	10,5	16	30	20	10	2				0,150	●	165,00	
321MO D30/3	42,3	17	30	35	24	16	3				0,270	●	205,50	

IN ESAURIMENTO - SOLANGE DES SPORRAT REICHT - WHILE SUPPLIES LAST




MILLING
MINIMILL
MOULDMILL
MICROTOOLS AMS
MINITOOLS
GROOVING
GE DRILLS
NICECUT
YES DRILLS
SLIM CHUCK
INSERTS
SPEED TIGER
RICAMBI
PARAMETRI INSERTI


FRESE A COPIARE EINSCHRAUBKUGELGESENKFRÄSER FÜR RUND - WSP _ THREADED TYPE MILLING CUTTERS



400M	↔ (mm)						D	z	RD..	VT	C	S	BT	KG	STOCK	€
	D	d	H	p	β											
400M 042-10/6	42	16	44	5	-	6		RD.. 1003...	VT35	--	--	BT15	0,240	●	302,50	
400M 052-12/5	52	22	50	6	5,7°	5		RD.. 12T3...					0,360	●	296,50	
400M 066-12/6	66	27	50	6	4,1°	6		RD.. 12T3...	VT35	--	CVB 35	BT15	0,610	●	335,50	
400M 080-12/7	80	27	50	6	3,2°	7		RD.. 12T3...					1,080	●	375,00	
400M 052-16/4	52	22	50	8	8,8°	4		RD.. 1604...					0,330	●	296,50	
400M 066-16/5	66	27	50	8	6,0°	5		RD.. 1604...					0,500	●	428,00	
400M 080-16/6	80	27	50	8	4,5°	6		RD.. 1604...	VT45	CVB 45	--	BT20	1,050	●	434,50	
400M 100-16/7	100	32	55	8	3,7°	7		RD.. 1604...					1,800	●	477,50	
400M 125-16/8	125	40	55	8	2,8°	8		RD.. 1604...					2,300	●	603,50	
400M 160-16/9	160	40	55	8	1,8°	9		RD.. 1604...					4,460	●	929,50	



400MO	↔ (mm)								D	z	RD..	VT	C	S	BT	KG	STOCK	€
	D	L	M	D1	L1	p	β											
400MO D10/2	10	18	M6	6,5	14,5	2,5	28,9°	2		RD.. 0501...	VT18	--	--	BT06	0,010	●	177,50	
400MO D20/5	20	30	M10	10,5	20	2,5	6,9°	5		RD.. 0501...					0,060	●	315,00	
400MO D12/2	12	18	M6	6,5	14,5	3,5	22,7°	2		RD.. 07T1...					0,010	●	167,50	
400MO D15/2	15	23	M8	8,5	17,5	3,5	20,0°	2		RD.. 0702...					0,020	●	167,50	
400MO D15/3	15	23	M8	8,5	17,5	3,5	20,0°	3		RD.. 0702...	VT 2530	--	--	BT07	0,030	●	196,00	
400MO D20/4	20	30	M10	10,5	20	3,5	11,0°	4		RD.. 0702...					0,060	●	252,00	
400MO D25/5	25	35	M12	12,5	22	3,5	7,3°	5		RD.. 0702...					0,100	●	290,00	
400MO D30/5	30	43	M16	17	24	3,5	5,4°	5		RD.. 0702...					0,200	●	321,50	
400MO D20/2	20	30	M10	10,5	20	5	39,0°	2		RD.. 1003...					0,050	●	177,50	
400MO D25/2	25	35	M12	12,5	22	5	14,3°	2		RD.. 1003...					0,100	●	177,50	
400MO D25/3	25	35	M12	12,5	22	5	14,3°	3		RD.. 1003...					0,090	●	196,00	
400MO D30/4	30	43	M16	17	24	5	9,3°	4		RD.. 1003...	VT35	--	--	BT15	0,200	●	263,00	
400MO D35/4	35	43	M16	17	24	5	7,3°	4		RD.. 1003...					0,200	●	268,00	
400MO D35/5	35	43	M16	17	24	5	7,3°	5		RD.. 1003...					0,250	●	327,50	
400MO D42/5	42	43	M16	17	24	5	5,4°	5		RD.. 1003...					0,250	●	331,00	
400MO D24/2	24	35	M12	12,5	22	6	-	2		RD.. 12T3...					0,100	●	189,50	
400MO D35/3	35	43	M16	17	24	6	-	3		RD.. 12T3...	VT35	--	CVB 35	BT15	0,200	●	212,50	
400MO D42/4	42	43	M16	17	24	6	8,3°	4		RD.. 12T3...					0,250	●	275,50	
400MO D32/2	32	43	M16	17	24	8	-	2		RD.. 1604...	VT45	CVB 45	--	BT20	0,200	●	212,50	



● Disponibile - Lieferbar - On stock

○ A richiesta - Auf Anfrage - On request

2025

Ge Tooling

41

MILLING

MINIMILL

MOULDMILL

MICROTOOLS
AMS

MINITOOLS

GROOVING

GE DRILLS

NICECUT

YES DRILLS

SLIM CHUCK


INSERTS

SPEED TIGER


RICAMBI

PARAMETRI
INSERTI

ADATTATORI IN METALLO DURO _ VHM VERLÄNGERUNGEN _ CARBIDE ADAPTORS



PCIMD	D	d	d1	L (mm)			M	KG	STOCK	€		
PCIMD12 060 M06	12	6,5	9,7	60	15	5	8	19	6	0,100	●	377,00
PCIMD12 080 M06	12	6,5	9,7	80	15	5	8	19	6	0,140	●	506,00
PCIMD12 100 M06	12	6,5	9,7	100	15	5	8	19	6	0,200	●	532,50
PCIMD12 150 M06	12	6,5	9,7	150	15	5	8	19	6	0,300	●	618,00
PCIMD16 080 M08	16	8,5	12,7	80	15	6	9	20	8	0,350	●	553,00
PCIMD16 100 M08	16	8,5	12,7	100	15	6	9	20	8	0,350	●	584,00
PCIMD16 120 M08	16	8,5	12,7	120	15	6	9	20	8	0,350	●	703,50
PCIMD16 150 M08	16	8,5	12,7	150	15	6	9	20	8	0,350	●	744,00
PCIMD16 200 M08	16	8,5	12,7	200	15	6	9	20	8	0,600	●	832,00
PCIMD20 100 M10	20	10,5	17,7	100	20	10	13	26	10	0,500	●	925,50
PCIMD20 140 M10	20	10,5	17,7	140	20	10	13	26	10	0,700	●	971,00
PCIMD20 200 M10	20	10,5	17,7	200	20	10	13	26	10	0,900	●	1433,50
PCIMD25 100 M12	25	12,5	20,7	100	30	10	13	26	12	0,500	●	1198,00
PCIMD25 150 M12	25	12,5	20,7	150	30	10	13	26	12	0,500	●	1462,00
PCIMD25 200 M12	25	12,5	20,7	200	30	10	13	26	12	0,900	●	1554,50
PCIMD25 250 M12	25	12,5	20,7	250	30	10	13	26	12	1,000	●	1889,50
PCIMD32 100 M16	32	17	28,7	100	30	10	14	30	16	1,250	●	1657,00
PCIMD32 150 M16	32	17	28,7	150	30	10	14	30	16	1,900	●	2308,00



PCCMD	D	d	d1	L (mm)			M	KG	STOCK	€		
PCCMD10 150 M6	10	6,5	9,8	150	30	5	7	19	6	0,300	○	447,00
PCCMD12 150 M6	12	6,5	10,8	150	27	5	7	19	6	0,300	○	617,00
PCCMD16 150 M8	16	8,5	15	150	27	6	8	20	8	0,350	○	743,00
PCCMD16 200 M8	16	8,5	15	200	31	6	8	20	8	0,600	○	833,00
PCCMD20 200 M10	20	10,5	18	200	36	10	12	24	10	0,900	○	1428,00
PCCMD20 250 M10	20	10,5	18	250	44	10	12	24	10	1,000	○	1534,50
PCCMD25 200 M12	25	12,5	22,5	200	36	10	12	26	12	0,500	○	1553,50
PCCMD25 250 M12	25	12,5	22,5	250	44	10	12	26	12	1,000	○	1889,50
PCCMD32 250 M16	32	17	28,6	250	44	10	13	28	16	2,100	○	3126,00
PCCMD32 300 M16	32	17	28,6	300	52	10	13	28	16	2,300	○	3668,50



GE TOOLING S.r.l.

Via Elsa Morante, 71 - 41123 Modena
Tel. +39 059 331543 - Fax. +39 059 822617
getools@getooling.it-www.getooling.it