



PROMO NET PRICES 2025

RISERVATI AI RIVENDITORI _ FÜR HÄNDLER RESERVIERT _ RESERVED FOR DEALERS



VALIDITÀ _ GÜLTIGKEIT _ VALIDITY

01.06.2025 / 30.06.2026



Fino ad esaurimento scorte _ Solange vorrat reicht _ While supplies last



CCMT ...





CCGT ...



Stelo in acciaio _ Stahlschaft _ Steelshank

SCLCR/L



SCLCR/L															STOCK
SCLCR/L 2020 K09	ECO	20	20	20	125	17	25	CCMT CCGT 09T3...	US1111	GBS1111	SS1111	BT15	0,420	x	●
SCLCR/L 2525 M12	ECO	25	25	25	150	20	32	CCMT CCGT 1204...	US1221	GBS1221	SS1221	BT15	0,770	x	●
SCLCR/L 2020 K09 - IK ECO		20	20	20	125	17	25	CCMT CCGT 09T3...	US1111E	GBS1111E	SS1111	BT15	0,420		●
SCLCR/L 2525 M12 - IK ECO		25	25	25	150	20	32	CCMT CCGT 1204...	US1221E	GBS1221E	SS1221	BT15	0,770		●



DCMT ...




DCGT ...



Stelo in acciaio _ Stahlschaft _ Steelshank

SDJCR/L



SDJCR/L		h1	h2	b	l1	l2	f								STOCK
SDJCR/L 2020 K11	ECO	20	20	20	125	24	25	DCMT DCGT 11T3...	US2311	GBS1111	SS1111	BT15	0,408	x	●
SDJCR/L 2525 M11	ECO	25	25	25	150	27	32						0,735	x	●
SDJCR/L 2020 K11 - IK ECO		20	20	20	125	24	25	DCMT DCGT 11T3...	US2311E	GBS1111E	SS1111	BT15	0,408		●
SDJCR/L 2525 M11 - IK ECO		25	25	25	150	27	32						0,735		●



VCMT ...



VCGT ...



Stelo in acciaio _ Stahlschaft _ Steelshank

SVJCR/L

SVJCR/L		</					
---------	--	---	--	--	--	--	--



Stelo in acciaio _ Stahlschaft _ Steelshank

PCLNR/L		h1	h2	b	l1	l2	f							KG	STOCK
PCLNR/L 2020 K12	ECO	20	20	20	125	27,4	25	CNMG 1204...	UP1111E	HP1111E	SP1111E	RP1111E	MP1111	0,428	x ●
PCLNR/L 2525 M12	ECO	25	25	25	150	28	32							0,751	x ●
PCLNR/L 2020 K12 - IK ECO		20	20	20	125	27,4	25	CNMG 1204...	UP1111E	HP1111E	SP1111E	RP1111E	MP1111	0,428	●
PCLNR/L 2525 M12 - IK ECO		25	25	25	150	28	32							0,751	●

Stelo in acciaio _ Stahlschaft _ Steelshank

PWLNR/L		h1	h2	b	l1	l2	f							KG	STOCK
PWLNR/L 2020 K08	ECO	20	20	20	125	25	25	WNMG 0804...	UP71011E	HP1111E	SP1111E	RP1111E	MP1111	0,420	x ●
PWLNR/L 2525 M08	ECO	25	25	25	150	25	32							0,767	x ●
PWLNR/L 2020 K08 - IK ECO		20	20	20	125	25	25	WNMG 0804...	UP71011E	HP1111E	SP1111E	RP1111E	MP1111	0,420	●
PWLNR/L 2525 M08 - IK ECO		25	25	25	150	25	32							0,767	●

Stelo in acciaio _ Stahlschaft _ Steelshank

PDJNR/L		h1	h2	b	l1	l2	f							KG	STOCK
PDJNR/L 2020 K15	ECO	20	20	20	125	25	25	DNMG 1506...	UP2421E	HP2421E	SP1112E			0,411	x ●
PDJNR/L 2525 M15	ECO	25	25	25	150	25	32				SP1113E	RP1111E	MP1111	0,737	x ●
PDJNR/L 2020 K15 - IK ECO		20	20	20	125	25	25	DNMG 1506...	UP2421E	HP2421E	SP1112E			0,411	●
PDJNR/L 2525 M15 - IK ECO		25	25	25	150	25	32				SP1113E	RP1111E	MP1111	0,737	●




BARENI PER TORNITURA INTERNA _ BOHRSTANGEN FÜR DIE INNENBEARBEITUNG _ INTERNAL BORING BARS

Specialmente con diametri di lavorazione di piccole dimensioni, i bareni N-PREMIUM impediscono l'accumulo di trucioli nel pezzo.


Speziell bei kleinen Bearbeitungsdurchmessern, verhindern N-PREMIUM Bohrstangen einen Spänebau im Werkstück.

Especially with small machining diameters, N-PREMIUM boring bars prevent chips jamming in the workpiece.

Asportazione sicura dei trucioli mediante scanalature a spirale. Gesicherte Spanabfuhr durch spiralisierten Spanraum. Reliable chip evacuation due to spiral flutes.




Ottimizzato per il minimo diametro del preforo. Optimiert für kleinste Mindestvorbohrdurchmesser. Optimised for the smallest minimum pre-drill diameter.



STANDARD


N-PREMIUM



Stelo in acciaio _ Stahlschaft _ Steelshank

N-PREMIUM A-SCLCR/L



	d	l1	l2	f	D _{min}						KG		STOCK
A08H SCLCR/L 06 N-PREMIUM	8	100	20	5	10						0,040		●
A10K SCLCR/L 06 N-PREMIUM	10	125	20	6	12	CCMT CCGT 0602...	--	--	VT25B	BT08	0,080		●
A12L SCLCR/L 06 N-PREMIUM	12	140	24,2	7	14						0,140		●
A16Q SCLCR/L 09 N-PREMIUM	16	180	31	9	18						0,250		●
A20R SCLCR/L 09 N-PREMIUM	20	200	36	11	22	CCMT CCGT 09T3...	--	--	VT40B	BT15	0,500		●
A25R SCLCR/L 09 N-PREMIUM	25	200	43	13,5	27						0,700		●
A25R SCLCR/L 12 N-PREMIUM	25	200	43	13,5	27	CCMT CCGT 1204...	--	--	VT50	BT20	0,700		●



Stelo in acciaio _ Stahlschaft _ Steelshank

N-PREMIUM A-SDUCR/L



	d	l1	l2	f	D _{min}						KG		STOCK
A10K SDUCR/L 07 N-PREMIUM	10	125	20	7	13						0,080		●
A12L SDUCR/L 07 N-PREMIUM	12	140	25	8	15	DCMT DCGT 0702...	--	--	VT25B	BT08	0,120		●
A16Q SDUCR/L 07 N-PREMIUM	16	180	28	10	19						0,250		●
A16Q SDUCR/L 11 N-PREMIUM	16	180	28	14	23						0,250		●
A20R SDUCR/L 11 N-PREMIUM	20	200	36	13	25	DCMT DCGT 11T3...	--	--	VT40B	BT15	0,500		●
A25R SDUCR/L 11 N-PREMIUM	25	200	40	16	31						0,700		●



Stelo in acciaio _ Stahlschaft _ Steelshank

N-PREMIUM A-SDQCR/L



	d	l1	l2	f	Dmin						KG	STOCK
A10K SDQCR/L 07 N-PREMIUM	10	125	20	7	13	DCMT DCGT 0702...	--	--	VT25B	BT08	0,080	●
A12L SDQCR/L 07 N-PREMIUM	12	140	25	8	15						0,120	●
A16Q SDQCR/L 07 N-PREMIUM	16	180	28	10	19						0,250	●
A16Q SDQCR/L 11 N-PREMIUM	16	180	28	14	23	DCMT DCGT 11T3...	--	--	VT40B	BT15	0,250	●
A20R SDQCR/L 11 N-PREMIUM	20	200	36	13	25						0,500	●
A25R SDQCR/L 11 N-PREMIUM	25	200	40	16	31						0,700	●



Stelo in acciaio _ Stahlschaft _ Steelshank

N-PREMIUM A-STFCR/L

	d	l1	l2	f	Dmin						KG	STOCK
A10K STFCR/L 11 N-PREMIUM	10	125	22	6	12	TCMT TCGT 1102...	--	--	VT25B	BT08	0,080	●
A12L STFCR/L 11 N-PREMIUM	12	140	24,3	7	14						0,120	●
A16Q STFCR/L 11 N-PREMIUM	16	180	31	9	18						0,250	●
A20R STFCR/L 11 N-PREMIUM	20	200	36	11	22						0,500	●



Stelo in acciaio _ Stahlschaft _ Steelshank

N-PREMIUM A-SVUBR/L

	d	l1	l2	f	Dmin						KG	STOCK
A16Q SVUBR/L 11 N-PREMIUM	16	180	31	11	20	VBMT VBGT 1103...	--	--	VT25B	BT08	0,250	●
A20R SVUBR/L 11 N-PREMIUM	20	200	36	13	24						0,500	●
A25R SVUBR/L 16 N-PREMIUM	25	200	40	17	31	VBMT VBGT 1604...	--	--	VT40B	BT15	0,700	●

N-PREMIUM A-SVUCR/L

	d	l1	l2	f	Dmin						KG	STOCK
A16Q SVUCR/L 11 N-PREMIUM	16	180	31	11	20	VCMT VCGT 1103...	--	--	VT25B	BT08	0,250	●
A20R SVUCR/L 11 N-PREMIUM	20	200	36	13	24						0,500	●
A25R SVUCR/L 16 N-PREMIUM	25	200	40	17	31	VCMT VCGT 1604...	--	--	VT40B	BT15	0,700	●



PROFI-BOX HSS CC..0602 SET

Art. SET AH SCLCR 06
Art. SET AH SCLCL 06

n° 1	—	AH 0608H	SCLCR/L 06
n° 1	—	AH 0810J	SCLCR/L 06
n° 1	—	AH 1012K	SCLCR/L 06
n° 1	—	AH 1216M	SCLCR/L 06



**SPECIAL
OFFER**

CATALOGUE RANGE	d	L1	L2	f	D min
AH 0608H... 06	8	100	25	4	8,5
AH 0810J... 06	10	110	32	6	12
AH 1012K... 06	12	125	38	7	14
AH 1216M... 06	16	150	50	9	18


BOX STEEL CC..0602 SET

Art. SET A SCLCR 06
Art. SET A SCLCL 06

n° 1	—	A0608H	SCLCR/L 06
n° 1	—	A0810J	SCLCR/L 06
n° 1	—	A1012K	SCLCR/L 06
n° 1	—	A1216M	SCLCR/L 06



**SPECIAL
OFFER**



Art. SET S SCLCR 06

n° 1	—	S0608H	SCLCR 06
n° 1	—	S0810J	SCLCR 06
n° 1	—	S1012K	SCLCR 06
n° 1	—	S1216M	SCLCR 06



CATALOGUE RANGE	d	d1	L1	L2	f	D min
S/A 0608H... 06	8	6	100	21,5	4,2	8
S/A 0810J... 06	10	8	110	27	6	11
S/A 1012K... 06	12	10	125	32,5	7	13
S/A 1216M... 06	16	12	150	42	9	16



PROFI-BOX HSS DC..0702 SET

Art. SET AH SDUCR 07
Art. SET AH SDUCL 07

n° 1	—	AH 0810H	SDUCR/L 07
n° 1	—	AH 1012K	SDUCR/L 07
n° 1	—	AH 1216M	SDUCR/L 07




**SPECIAL
OFFER**

CATALOGUE RANGE	d	L1	L2	f	f1	D min
AH 0810H... 07	10	100	22	7	5	12,5
AH 1012K... 07	12	125	28	9	5	15,5
AH 1216M... 07	16	150	36	11	5	19,5

BOX STEEL DC..0702 SET

Art. SET A SDUCR 07
Art. SET A SDUCL 07

n° 1	—	A0810H	SDUCR/L 07
n° 1	—	A1012K	SDUCR/L 07
n° 1	—	A1216M	SDUCR/L 07



Art. SET S SDUCR 07

n° 1	—	S0810H	SDUCR 07
n° 1	—	S1012K	SDUCR 07
n° 1	—	S1216M	SDUCR 07



CATALOGUE RANGE	d	l1	l2	f	f1	Dmin
S/A 0810H...07	10	100	22,5	6,5	4,4	12,5
S/A 1012K...07	12	125	27,5	9	5,9	15,5
S/A 1216M...07	16	150	40,5	11	4,9	18




PROFI-BOX CARBIDE CC..0602 SET

Art. SET E SCLCR 06
Art. SET E SCLCL 06

n° 1		E08K	SCLCR/L 06	
n° 1		E10K	SCLCR/L 06	
n° 1		E12M	SCLCR/L 06	



**SPECIAL
OFFER**



CATALOGUE RANGE	d	L1	L2	f	D min
E 08K ... 06	8	125	10	5	10
E 10K ... 06	10	125	10	6	12
E 12M ... 06	12	150	10	8	14




PROFI-BOX CARBIDE DC..0702 SET

Art. SET E SDUCR 07
Art. SET E SDUCL 07


n° 1		E10K	SDUCR/L 07	
n° 1		E12M	SDUCR/L 07	



**SPECIAL
OFFER**



CATALOGUE RANGE	d	L1	L2	f	f1	D min
E 10K ... 06	10	125	10	7	x	12,5
E 12M ... 06	12	150	12,5	9	x	15




CARBIDE CC..0602 SET

Art. SET C SCLCR 06



n° 1		C08K	SCLCR 06	
n° 1		C10K	SCLCR 06	
n° 1		C12M	SCLCR 06	



**SPECIAL
OFFER**



CATALOGUE RANGE	d	L1	L2	f	D min
C 08K ... 06	8	125	10	5	10
C 10K ... 06	10	125	10	6	12
C 12M ... 06	12	150	10	8	14



740W ECO


	D	d	L (mm)		p	β	Z				KG		STOCK
740W D16/2 ECO	16	16	85	37	10	--	2	APHT APHX APKT 1003 ...	VT25	BT08	0,130	x	●
740W D20/3 ECO	20	20	90	40	10	--	3				0,200	x	●
740W D25/4 ECO	25	25	105	49	10	--	4				0,340	x	●



740M ECO





730M ECO



740M ECO 730M ECO

	D	d	H (mm)	p	β	Z				KG		STOCK
740M D40/6 ECO	40	16	40	10	--	6	APHT APHX APKT 1003...	VT25	BT08	0,270	x	●
740M D50/7 ECO	50	22	40	10	--	7				0,430	x	●
730M D40/4 ECO	40	16	40	17	--	4	APHT APHX APKT 1604 ...	VT40	BT15	0,210	x	●
730M D50/5 ECO	50	22	40	17	--	5				0,290	x	●
730M D63/6 ECO	63	22	40	17	--	6				0,530	x	●



600 M ECO

600 M ECO	D	De	d H p <th>β</th> <th>Z</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>STOCK</th>	β	Z						STOCK		
600M D50-12/4 ECO	50	63	22	48	6	--	4	SEHT SEHX SEKT 1204...	VT50	BT20	0,480	x	●
600M D63-12/5 ECO	63	76	22	48	6	--	5				0,760	x	●
600M D80-12/6 ECO	80	93	27	50	6	--	6				1,270	x	●
600M D100-12/6 ECO	100	113	32	50	6	--	6				1,790	x	●



APKT 1003 PDR-M
K400

PROFI-BOX APKT 1003 SET W



STOCK

Art. SET 740W D16 ECO

n° 1		740W D16/2 ECO		
n° 20		APKT 1003 PDR-M K400	x	●

Art. SET 740W D20 ECO

n° 1		740W D20/3 ECO		
n° 20		APKT 1003 PDR-M K400	x	●

Art. SET 740W D25 ECO

n° 1		740W D25/4 ECO		
n° 20		APKT 1003 PDR-M K400	x	●



APKT 1003 PDR-M
K400

PROFI-BOX APKT 1003 SET M



STOCK

Art. SET 740M D40 ECO

n° 1		740M D40/6 ECO		
n° 20		APKT 1003 PDR-M K400	x	●

Art. SET 740M D50 ECO

n° 1		740M D50/7 ECO		
n° 20		APKT 1003 PDR-M K400	x	●



APKT 1604 PDR-M
K400

PROFI-BOX APKT 1604 SET M



STOCK

Art. SET 730M D40 ECO

n° 1		730M D40/4 ECO		
n° 20		APKT 1604 PDR-M K400	x	●

Art. SET 730M D50 ECO

n° 1		730M D50/5 ECO		
n° 20		APKT 1604 PDR-M K400	x	●

Art. SET 730M D63 ECO

n° 1		730M D63/6 ECO		
n° 20		APKT 1604 PDR-M K400	x	●



SEKT 1204 AFTN
K400

PROFI-BOX SEKT 1204 SET M



STOCK

Art. SET 600M D50 ECO

n° 1		600M D50-12/4 ECO		
n° 20		SEKT 1204 AFTN K400	x	●

Art. SET 600M D63 ECO

n° 1		600M D63-12/5 ECO		
n° 20		SEKT 1204 AFTN K400	x	●

Art. SET 600M D80 ECO

n° 1		600M D80-12/6 ECO		
n° 20		SEKT 1204 AFTN K400	x	●

BOX
TCMX SET W
Art. SET 311W W


n° 1		311.020WW
n° 4		TCMX 16T3ZR TIN




CATALOGUE RANGE	Ø dh6	L	L1	Y°	Z	D min	D max	
311.020 WW	20	115	40	45°	1	0,4	20	
311.020 WWL	20	150	60	45°	1	0,4	20	
311.020 WWXL	20	200	80	45°	1	0,4	20	

BOX
SEEX SET W
Art. SET 160 W 45°


n° 1		160.45 W
n° 5		SEEX 12T408 TIN



CATALOGUE RANGE	Ø dh6	DS	L	L1	Y°	Z	D min	D max	
160.45 W	16	0,8	120	40	45°	1	0,8	17	
160.30 W	16	0,8	120	40	30°	1	0,8	21	


BOX
TCMT SET W
Art. SET 300W W - 45°

n° 1		300.016 WW
n° 1		300.021 WW



CATALOGUE RANGE	Ø dh6	L	H	Y°	Z	D1	D2	
300.016 WW	12	70	20	45°	1	1,2	16	
300.021 WW	20	90	35	45°	2	6,2	21	
300.032 WW	25	100	42	45°	2	10,4	32,5	



**BOX
TCEX SET C**




Art. SET 7545-0422

n° 1 7545VT13-C12-0422

n° 4 TCEX 13T302 K400

X ●



CATALOGUE RANGE	Ø dh6	L	Y°	Z	D	D1	
7545VT13-C12-0422	12	85	45°	1	22	4	X



**BOX
TCGX SET C**



Art. SET 7745-0525

n° 1 7745VT16-C12-0525

n° 4 TCGX 163504 K400


X ●

Art. SET 7745-2545


n° 1 7745VT16-C12-2545

n° 4 TCGX 163504 K400













X ●



CATALOGUE RANGE	Ø dh6	L	Y°	Z	D	D1	
7745VT16-C12-0525	12	78	45°	1	25	5	X
7745VT16-C12-2545	12	78	45°	1	45	25	X











INSERTI PER FRESATURA _ WENDEPLATTEN ZUM FRÄSEN _ MILLING INSERTS






 CODICE ORDINE Bestell-Nr. Order No.	 FIGURA Form Figure	 (mm)					 DENOMINAZIONE Bezeichnung Designation	STOCK	MIN. n° 100 pz/St/pcs
		l	d	s	d1	r			
 APKT... PDR-M		10	6,7	3,50	3,2	0,5	APKT 1003 PDR-M K400	●	
		16,3	9,5	5,26	4,4	0,9	APKT 1604 PDR-M K400	●	
 APKT... PDER-S		10,5	6,7	3,50	2,8	0,4	APKT 1003 PDER-S P200 / P300 / K300	●	
		17	9,5	5,30	4,5	0,8	APKT 1604 PDER-S P200 / P300 / K300	●	
 APKT... PDFR... ALU		10,5	6,7	3,5	2,8	0,4	APKT 1003 PDFR-R04 ALU K15	●	
		17	9,45	5,26	4,4	0,4	APKT 1604 PDFR-R04 ALU K15	●	
 APPT...		10,5	6,7	3,50	2,8	0,8	APPT 100308 PDSR-MM K400	●	
		16,5	9,5	5,26	4,5	0,8	APPT 160408 PDSR-MM K400	●	
 SNKX 1206		12,7	2,5	6,4	5,2	2,36	SNKX 1206 ANN-MM1 K400	●	
 SEKT...		12,7	12,7	4,76	5,5	-	SEKT 1204 AFTN K400	●	
 TCEX		13,4	7,94	3,97	3,9	0,2	TCEX 13T302 K400	●	
 TCGX		16,5	9,52	3,97	4,4	0,4	TCGX 163504 K400	●	
 TCMX		16,5	9,52	3,97	4,4	0,4	TCMX 16T3 ZR TIN	●	
 SEEX		12,25	12,25	5,25	4,8	0,8	SEEX 12T408 TIN	●	
 WNEU-N		7,5	12,5	6,56	4,6	0,8	WNEU 080608-MB P200-N / P300-N / K300-N	●	
 WNEU...		7,5	12,5	6,56	4,6	0,8	WNEU 080608-MB K400	●	

IN ESAURIMENTO _ SOLANGE DER VORRAT REICHT _ WHILE SUPPLIES LAST

INSERTI PER TORNITURA _ WENDEPLATTEN ZUM DREHEN _ TURNING INSERTS

CODICE ORDINE Bestell-Nr. Order No.	FIGURA Form Figure	 (mm)					DENOMINAZIONE Bezeichnung Designation	STOCK	MIN. n° 100 pz/St/pcs
		l	d	s	d1	r			
NEW   CCMT		6,4	6,35	2,38	2,8	0,4	CCMT 060204 K400	●	
		9,7	9,52	3,97	4,4	0,4	CCMT 09T304 K400	●	
		9,7	9,52	3,97	4,4	0,8	CCMT 09T308 K400	●	
		12,9	12,7	4,76	5,5	0,4	CCMT 120404 K400	●	
		12,9	12,7	4,76	5,5	0,8	CCMT 120408 K400	●	
NEW   CCGT... ALU		6,4	6,35	2,38	2,8	0,4	CCGT 060204-ALU K15	●	
		9,7	9,52	3,97	4,4	0,4	CCGT 09T304-ALU K15	●	
		12,9	12,7	4,76	5,5	0,4	CCGT 120404 ALU K15	●	
NEW   DCMT		7,75	6,35	2,38	2,8	0,4	DCMT 070204 K400	●	
		11,6	9,52	3,97	4,4	0,4	DCMT 11T304 K400	●	
		11,6	9,52	3,97	4,4	0,8	DCMT 11T308 K400	●	
NEW   DCGT... ALU		7,75	6,35	2,38	2,8	0,4	DCGT 070204 -ALU K15	●	
		11,6	9,52	3,97	4,4	0,4	DCGT 11T304-ALU K15	●	
NEW   TCMT		11	6,35	2,38	2,6	0,4	TCMT 110204 K400	●	
		16	9,52	3,97	4,4	0,4	TCMT 16T304 K400	●	
		16	9,52	3,97	4,4	0,8	TCMT 16T308 K400	●	
NEW   TCGT... ALU		11	6,35	2,38	2,8	0,4	TCGT 110204-ALU K15	●	
		16,5	9,52	3,97	4,4	0,4	TCGT 16T304-ALU K15	●	
NEW   VCMT		11,1	6,35	3,18	2,9	0,4	VCMT 110304 K400	●	
		16,6	9,52	4,76	4,4	0,4	VCMT 160404 K400	●	
		16,6	9,52	4,76	4,4	0,8	VCMT 160408 K400	●	
NEW   VCGT... ALU		11,1	6,35	3,18	2,9	0,4	VCGT 110304-ALU K15	●	
		16,6	9,52	4,76	4,4	0,4	VCGT 160404-ALU K15	●	

INSERTI PER TORNITURA _ WENDEPLATTEN ZUM DREHEN _ TURNING INSERTS

CODICE ORDINE Bestell-Nr. Order No.	FIGURA Form Figure	(mm)					DENOMINAZIONE Bezeichnung Designation	STOCK	MIN. n° 100 pz/St/pcs
		l	d	s	d1	r			
NEW 		12,9	12,7	4,76	5,16	0,8	CNMG120408-TM K300	●	
NEW 		8,7	12,7	4,76	5,16	0,8	WNMG080408-TM K300	●	
NEW 		15,5	12,7	6,35	5,16	0,8	DNMG150608-TM K300	●	
NEW 		16,5	9,52	4,76	3,81	0,8	TNMG160408-TM K300	●	
NEW 		12,7	12,7	4,76	5,16	0,8	SNMG120408-TM K300	●	



PROFI-BOX CNMG 120408 SET

Art. SET PCLNR 2020 K12
Art. SET PCLNL 2020 K12

n° 1  PCLNR/L 2020 K12 ECO
n° 10  CNMG 120408 TM K300

 STOCK

x ●

Art. SET PCLNR 2525 M12
Art. SET PCLNL 2525 M12

n° 1  PCLNR/L 2525 M12 ECO
n° 10  CNMG 120408 TM K300

x ●

PROFI-BOX WNMG 080408 SET

Art. SET PWLNR 2020 K08
Art. SET PWLNL 2020 K08

n° 1  PWLNR/L 2020 K08 ECO
n° 10  WNMG 080408 TM K300

 STOCK

x ●

Art. SET PWLNR 2525 M08
Art. SET PWLNL 2525 M08

n° 1  PWLNR/L 2525 M08 ECO
n° 10  WNMG 080408 TM K300

x ●

NEW

PROFI-BOX
SET DHN
TiAlN ECO



d l L D z



STOCK

n° 1 SET

n° 5 SETS

n° 10 SETS

Art. SET DHN W 4T
TiAlN 40°/41° ECO

n° 1	DHN0304 W TiAlN ECO	3	11	57	6	4
n° 1	DHN0404 W TiAlN ECO	4	11	57	6	4
n° 1	DHN0504 W TiAlN ECO	5	13	57	6	4
n° 1	DHN0604 W TiAlN ECO	6	13	57	6	4
n° 1	DHN0804 W TiAlN ECO	8	19	63	8	4
n° 1	DHN1004 W TiAlN ECO	10	22	72	10	4
n° 1	DHN1204 W TiAlN ECO	12	26	83	12	4
n° 1	DHN1604 W TiAlN ECO	16	32	92	16	4
n° 1	DHN2004 W TiAlN ECO	20	38	104	20	4

x

●

x

●

x

●

WELDON

NECK



NEW

PROFI-BOX
SET MSE
TiSiN ECO



d l L D z



STOCK

n° 1 SET

n° 5 SETS


n° 10 SETS

Art. SET MSE 4T
TiSiN 35° ECO

n° 10	MSE0104 TiSiN ECO	1	3	50	4	4
n° 10	MSE0154 TiSiN ECO	1,5	4	50	4	4
n° 10	MSE0204 TiSiN ECO	2	5	50	4	4
n° 10	MSE0304 TiSiN ECO	3	8	50	4	4
n° 10	MSE0404 TiSiN ECO	4	10	50	4	4

x

●



NEW

PROFI-BOX
SET SE
TiSiN ECO



d l L D z



STOCK

n° 1 SET

n° 5 SETS

n° 10 SETS

Art. SET SE 4T
TiSiN 35° ECO

n° 1	SE0204 TiSiN ECO	2	5	50	6	4
n° 1	SE0304 TiSiN ECO	3	8	50	6	4
n° 1	SE0404 TiSiN ECO	4	10	50	6	4
n° 1	SE0504 TiSiN ECO	5	15	50	6	4
n° 1	SE0604 TiSiN ECO	6	15	50	6	4
n° 1	SE0804 TiSiN ECO	8	20	60	8	4
n° 1	SE1004 TiSiN ECO	10	25	75	10	4
n° 1	SE1204 TiSiN ECO	12	30	75	12	4
n° 1	SE1604 TiSiN ECO	16	45	100	16	4
n° 1	SE2004 TiSiN ECO	20	45	100	20	4

x

●

x

●

x

●



NEW

PROFI-BOX
SET PE
TiSiN ECO



d l L D z



STOCK

n° 1 SET

n° 5 SETS

n° 10 SETS

Art. SET PE 4T
TiSiN 45° ECO

n° 1	PE0604 TiSiN ECO	6	15	50	6	4
n° 1	PE0804 TiSiN ECO	8	20	60	8	4
n° 1	PE1004 TiSiN ECO	10	25	75	10	4
n° 1	PE1204 TiSiN ECO	12	30	75	12	4

x

●




NEW

MANDRINO _ HALTER _ HOLDER


GES GEZ	(mm) D	KG	STOCK
GESK2-25 HD	25	0,950	●
GESK3-25 HD	25	1,100	●
GEZ20MM-25HD	25	0,910	●

CON COLLETTA _ MIT KRAGEN _ WITH COLLAR



GEY-M	d	(mm) D	h	min ⁻¹	STOCK
GEY-M-M2	6	1,6	0,7-2,5	3300	●
GEY-M-M3	6	2,7	0,7-2,5	3000	●
GEY-M-M4	6	3,7	0,7-2,5	2700	●
GEY-M-M5	6	4,5	0,7-2,5	2600	●
GEY-M-M6	8	5,3	0,7-2,5	2500	●
GEY-M-M8	8	7,3	0,7-2,5	2300	●
GEY-M-M10	10	9,2	0,7-2,5	2100	●
GEY-M-M12	12	10,9	0,7-2,5	2000	●
GEY-M-G1/8	10	9,2	0,7-2,5	2100	●
GEY-M-G1/4	14	12,4	0,7-2,5	1800	●


GEY-M INOX	d	(mm) D	h	min ⁻¹	STOCK
GEY-M-M5 INOX	6	4,6	0,7-1	2600	●
GEY-M-M6 INOX	8	5,4	0,7-1	2500	●
GEY-M-M8 INOX	8	7,4	0,7-1	2300	●
GEY-M-M10 INOX	10	9,3	0,7-1	2100	●



GEA-L	d	(mm) D	h	min ⁻¹	STOCK
GEA-L-M2	6	1,6	0,7-4	3300	●
GEA-L-M3	6	2,7	0,7-4	3000	●
GEA-L-M4	6	3,7	0,7-4	2700	●
GEA-L-M5	6	4,5	0,7-4	2600	●
GEA-L-M6	8	5,3	0,7-4	2500	●
GEA-L-M8	8	7,3	0,7-4	2300	●
GEA-L-M10	10	9,2	0,7-4	2100	●
GEA-L-M12	12	10,9	0,7-4	2000	●
GEA-L-G1/8	10	9,2	0,7-4	2100	●
GEA-L-G1/4	14	12,4	0,7-4	1800	●


GEA-L INOX	d	(mm) D	h	min ⁻¹	STOCK
GEA-L-M5 INOX	6	4,5	0,7-3	2600	●
GEA-L-M6 INOX	8	5,4	0,7-3	2500	●
GEA-L-M8 INOX	8	7,4	0,7-3	2300	●
GEA-L-M10 INOX	10	9,3	0,7-3	2100	●

SENZA COLLETTA _ OHNE KRAGEN _ WITHOUT COLLAR



GEY-MF	d	(mm) D	h	min ⁻¹	STOCK
GEY-MF-M2	6	1,6	0,7-2,5	3300	●
GEY-MF-M3	6	2,7	0,7-2,5	3000	●
GEY-MF-M4	6	3,7	0,7-2,5	2700	●
GEY-MF-M5	6	4,5	0,7-2,5	2600	●
GEY-MF-M6	8	5,3	0,7-2,5	2500	●
GEY-MF-M8	8	7,3	0,7-2,5	2300	●
GEY-MF-M10	10	9,2	0,7-2,5	2100	●
GEY-MF-M12	12	10,9	0,7-2,5	2000	●
GEY-MF-G1/8	10	9,2	0,7-2,5	2100	●
GEY-MF-G1/4	14	12,4	0,7-2,5	1800	●

GEY-MF INOX	d	(mm) D	h	min ⁻¹	STOCK
GEY-MF-M5 INOX	6	4,6	0,7-1	2600	●
GEY-MF-M6 INOX	8	5,4	0,7-1	2500	●
GEY-MF-M8 INOX	8	7,4	0,7-1	2300	●
GEY-MF-M10 INOX	10	9,3	0,7-1	2100	●



GEA-LF	d	(mm) D	h	min ⁻¹	STOCK
GEA-LF-M2	6	1,6	0,7-4	3300	●
GEA-LF-M3	6	2,7	0,7-4	3000	●
GEA-LF-M4	6	3,7	0,7-4	2700	●
GEA-LF-M5	6	4,5	0,7-4	2600	●
GEA-LF-M6	8	5,3	0,7-4	2500	●
GEA-LF-M8	8	7,3	0,7-4	2300	●
GEA-LF-M10	10	9,2	0,7-4	2100	●
GEA-LF-M12	12	10,9	0,7-4	2000	●
GEA-LF-G1/8	10	9,2	0,7-4	2100	●
GEA-LF-G1/4	14	12,4	0,7-4	1800	●

GEA-LF INOX	d	(mm) D	h	min ⁻¹	STOCK
GEA-LF-M5 INOX	6	4,5	0,7-3	2600	●
GEA-LF-M6 INOX	8	5,4	0,7-3	2500	●
GEA-LF-M8 INOX	8	7,4	0,7-3	2300	●
GEA-LF-M10 INOX	10	9,3	0,7-3	2100	●

